

---

# MyGene.py Documentation

*Release v2.2.0*

**Chunlei Wu**

August 19, 2014



<b>1 Requirements</b>	<b>3</b>
<b>2 Optional dependencies</b>	<b>5</b>
<b>3 Installation</b>	<b>7</b>
<b>4 Version history</b>	<b>9</b>
<b>5 Tutorial</b>	<b>11</b>
<b>6 API</b>	<b>13</b>
<b>7 Indices and tables</b>	<b>17</b>
<b>Python Module Index</b>	<b>19</b>



MyGene.Info provides simple-to-use REST web services to query/retrieve gene annotation data. It's designed with simplicity and performance emphasized. *mygene*, is an easy-to-use Python wrapper to access MyGene.Info services.



## **Requirements**

---

python >=2.6 (including python3)

[http://lib2](#) (install using “pip install http://lib2”)



## **Optional dependencies**

---

pandas (install using “pip install pandas”) is required for returning a list of gene objects as DataFrame.



## Installation

---

**Option 1** pip install mygene

**Option 2** download/extract the source code and run:

```
python setup.py install
```

**Option 3** install the latest code directly from the repository:

```
pip install -e hg+https://bitbucket.org/newgene/mygene#egg=mygene
```



## CHAPTER 4

---

### Version history

---

CHANGES.txt



**Tutorial**

---

- ID mapping using mygene module in Python



---

**API**

---

`mygene.alwayslist(value)`

If input value if not a list/tuple type, return it as a single value list.

Example:

```
>>> x = 'abc'
>>> for xx in alwayslist(x):
...     print xx
>>> x = ['abc', 'def']
>>> for xx in alwayslist(x):
...     print xx
```

`class mygene.MyGeneInfo(url='http://mygene.info/v2')`

This is the client for MyGene.info web services. Example:

```
>>> mg = MyGeneInfo()
```

`findgenes(id_li, **kwargs)`

Deprecated since version 2.0.0.

Use `querymany()` instead. It's kept here as an alias of `querymany()` method.

`getgene(geneid, fields='symbol, name, taxid, entrezgene', **kwargs)`

Return the gene object for the give geneid. This is a wrapper for GET query of “/gene/<geneid>” service.

#### Parameters

- **geneid** – entrez/ensembl gene id, entrez gene id can be either a string or integer
- **fields** – fields to return, a list or a comma-separated string. If **fields="all"**, all available fields are returned
- **species** – optionally, you can pass comma-separated species names or taxonomy ids
- **email** – optionally, pass your email to help us to track usage
- **filter** – alias for **fields** parameter

**Returns** a gene object as a dictionary

**Ref** [http://mygene.info/doc/annotation\\_service.html](http://mygene.info/doc/annotation_service.html) for available fields, extra *kwargs* and more.

Example:

```
>>> mg.getgene(1017, email='abc@example.com')
>>> mg.getgene('1017', fields='symbol, name, entrezgene, refseq')
>>> mg.getgene('1017', fields='symbol, name, entrezgene, refseq.rna')
```

```
>>> mg.getgene('1017', fields=['symbol', 'name', 'pathway.kegg'])
>>> mg.getgene('ENSG00000123374', fields='all')
```

---

**Hint:** The supported field names passed to **fields** parameter can be found from any full gene object (when **fields="all"**). Note that field name supports dot notation for nested data structure as well, e.g. you can pass “refseq.rna” or “pathway.kegg”.

---

### **getgenes** (*geneids*, *fields*=*'symbol, name, taxid, entrezgene'*, *\*\*kwargs*)

Return the list of gene objects for the given list of geneids. This is a wrapper for POST query of “/gene” service.

#### Parameters

- **geneids** – a list or comma-sep entrez/ensembl gene ids
- **fields** – fields to return, a list or a comma-separated string. If **fields="all"**, all available fields are returned
- **species** – optionally, you can pass comma-separated species names or taxonomy ids
- **email** – optionally, pass your email to help us to track usage
- **filter** – alias for fields
- **as\_dataframe** – if True, return object as DataFrame (requires Pandas).
- **df\_index** – if True (default), index returned DataFrame by ‘query’, otherwise, index by number. Only applicable if **as\_dataframe=True**.

**Returns** a list of gene objects or a pandas DataFrame object (when **as\_dataframe** is True)

**Ref** [http://mygene.info/doc/annotation\\_service.html](http://mygene.info/doc/annotation_service.html) for available fields, extra *kwargs* and more.

Example:

```
>>> mg.getgenes([1017, '1018', 'ENSG00000148795'], email='abc@example.com')
>>> mg.getgenes([1017, '1018', 'ENSG00000148795'], fields="entrezgene,uniprot")
>>> mg.getgenes([1017, '1018', 'ENSG00000148795'], fields="all")
>>> mg.getgenes([1017, '1018', 'ENSG00000148795'], as_dataframe=True)
```

---

**Hint:** A large list of more than 1000 input ids will be sent to the backend web service in batches (1000 at a time), and then the results will be concatenated together. So, from the user-end, it's exactly the same as passing a shorter list. You don't need to worry about saturating our backend servers.

---

### **metadata**

Return a dictionary of MyGene.info metadata.

Example:

```
>>> metadata = mg.metadata
```

### **query** (*q*, *\*\*kwargs*)

Return the query result. This is a wrapper for GET query of “/query?q=<query>” service.

#### Parameters

- **q** – a query string, detailed query syntax [here](#)
- **fields** – fields to return, a list or a comma-separated string. If **fields="all"**, all available fields are returned

- **species** – optionally, you can pass comma-separated species names or taxonomy ids. Default: human,mouse,rat.
- **size** – the maximum number of results to return (with a cap of 1000 at the moment). Default: 10.
- **skip** – the number of results to skip. Default: 0.
- **sort** – Prefix with “-” for descending order, otherwise in ascending order. Default: sort by matching scores in decending order.
- **entrezonly** – if True, return only matching entrez genes, otherwise, including matching Ensemble-only genes (those have no matching entrez genes).
- **email** – optionally, pass your email to help us to track usage
- **as\_dataframe** – if True, return object as DataFrame (requires Pandas).
- **df\_index** – if True (default), index returned DataFrame by ‘query’, otherwise, index by number. Only applicable if as\_dataframe=True.

**Returns** a dictionary with returned gene hits or a pandas DataFrame object (when **as\_dataframe** is True)

**Ref** [http://mygene.info/doc/query\\_service.html](http://mygene.info/doc/query_service.html) for available fields, extra *kwargs* and more.

Example:

```
>>> mg.query('cdk2')
>>> mg.query('reporter:1000_at')
>>> mg.query('symbol:cdk2', species='human')
>>> mg.query('symbol:cdk*', species=10090, size=5, as_dataframe=True)
>>> mg.query('q=chrX:151073054-151383976', species=9606)
```

### querymany (qterms, scopes=None, \*\*kwargs)

Return the batch query result. This is a wrapper for POST query of “/query” service.

#### Parameters

- **qterms** – a list of query terms, or a string of comma-separated query terms.
- **scopes** – type of types of identifiers, either a list or a comma-separated fields to specify type of input qterms, e.g. “entrezgene”, “entrezgene,symbol”, [“ensemblgene”, “symbol”] refer to “[http://mygene.info/doc/query\\_service.html#available\\_fields](http://mygene.info/doc/query_service.html#available_fields)” for full list of fields.
- **fields** – fields to return, a list or a comma-separated string. If **fields=”all”**, all available fields are returned
- **species** – optionally, you can pass comma-separated species names or taxonomy ids. Default: human,mouse,rat.
- **entrezonly** – if True, return only matching entrez genes, otherwise, including matching Ensemble-only genes (those have no matching entrez genes).
- **returnall** – if True, return a dict of all related data, including dup. and missing qterms
- **verbose** – if True (default), print out infomation about dup and missing qterms
- **email** – optionally, pass your email to help us to track usage
- **as\_dataframe** – if True, return object as DataFrame (requires Pandas).
- **df\_index** – if True (default), index returned DataFrame by ‘query’, otherwise, index by number. Only applicable if as\_dataframe=True.

**Returns** a list of gene objects or a pandas DataFrame object (when **as\_dataframe** is True)

**Ref** [http://mygene.info/doc/query\\_service.html](http://mygene.info/doc/query_service.html) for available fields, extra *kwargs* and more.

Example:

```
>>> mg.querymany(['DDX26B', 'CCDC83'], scopes='symbol', species=9606)
>>> mg.querymany(['1255_g_at', '1294_at', '1316_at', '1320_at'], scopes='reporter')
>>> mg.querymany(['NM_003466', 'CDK2', 695, '1320_at', 'Q08345'],
...                 scopes='refseq,symbol,entrezgene,reporter,uniprot', species='human')
>>> mg.querymany(['1255_g_at', '1294_at', '1316_at', '1320_at'], scopes='reporter',
...                 fields='ensembl.gene,symbol', as_dataframe=True)
```

---

**Hint:** `querymany()` is perfect for doing id mappings.

---

**Hint:** Just like `getgenes()`, passing a large list of ids (>1000) to `querymany()` is perfectly fine.

---

## Indices and tables

---

- *genindex*
- *modindex*
- *search*



m

`mygene`, 13